











- [6] Behead Helli, Mohsen Ebrahimi Moghaddam, "A Writer Identification Method based on XGabor and LCS", IEICE Electronics Express, Vol.6, No.10, pp. 623-629, 2009.
- [7] A. Schlapbach and H. Bunke, "Using HMM-Based Recognizers for Writer Identification and Verification," Proceedings of Ninth International Workshop: Frontiers in Handwriting Recognition, pp. 167-172, 2004.
- [8]Schlapbach, Andreas, Vivian Kilchherr, and Horst Bunke. "Improving writer identification by means of feature selection and extraction." Proceedings of Eighth International Conference on In Document Analysis and Recognition, pp. 131-135. IEEE, 2005.
- [9] S.K. Jayanthi and D. Rajalakshmi, "Writer identification for offline Tamil handwriting based on Gray-level Cooccurrence matrices", Third International Conference on Advanced Computing (ICoAC), pp. 187-192, 2011.
- [10] Geng, X.,Liu,T-Y.,Qin,T., Li, H. "Feature Selection for Ranking". In 30th Annual International ACM SIGIR Conference, pp.407-414, 2007.
- [11] Kohavi, Ron, and George H. John. "Wrappers for Feature subset selection." Artificial intelligence.1-2, pp. 273-324, 1997.
- [12] .M.Haralilck, K.Shammugan and I.Dinstein,"Textural features for Image Classification", IEEE Trans. System Man Cybernatics, Vol.3, No.6, pp.610-621, 1973.
- [13] Rafael C.Gonzalez , Richard E.Woods, "Digital Image Processing",Third Edition, Dorling Kindersley India Pvt. Ltd., India, pp. 831-835,2009.
- [14]D.Rajalakshmi,.S.K.Jayanthi,"Collection of Offline Tamil Handwriting Samples and Database Creation", International Journal of Advanced Research in Computer and Communication Engineering, Vol. 5, Issue 8, pp. 196-199, 2016.